


**TÜV NORD CERT GmbH**  
herewith declares that

**Eco Delta Power Co., Ltd.**  
No.65 Dacang Road  
Zhonglou, Changzhou, Jiangsu  
213000, P.R.China

is authorized to provide the product mentioned below with the mark as illustrated:



**Description of product (details see Annex 2):**

**PV Modules with 6" Mono-crystalline Silicon Solar Cells**

**PV Modules with 6" Poly-crystalline Silicon Solar Cells**

Tested according to: IEC 62716: 2013  
Registered No.: 44 780 17 406749 - 118  
Manufacturer: see Annex 1  
Test Report No.: 492010519.002  
File No.: SHV03038/17-01

Valid until: 2024-04-30



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

Essen, 2020-04-29

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 17 406749 -118

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: SHV03038/17-01

2020-04-29

**Manufacturer:**

Manufacturer : **Eco Delta Power Co., Ltd.**  
No.65 Dacang Road  
Zhonglou, Changzhou, Jiangsu, 213000, P.R.China

Factory inspection report no.: 862010123.005

**Remark:**

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products



**Description of product(s):**

<b>Model(s):</b>	<b>PV Modules with 6" Poly-crystalline Silicon Solar Cells:</b> ECO-xxxP-72 (***=310-350 in increments of 5) ECO-xxxP-60 (***=255-290 in increments of 5)
<b>Model(s):</b>	<b>PV Modules with 6" Mono-crystalline Silicon Solar Cells:</b> ECO-xxxM-72 (***=320-380 in increments of 5) ECO-xxxM-60 (***=265-315 in increments of 5) ECO-xxxM-72DG (***=340-370 in increments of 5) ECO-xxxM-60DG (***=270-315 in increments of 5) ECO-xxxM-72C-DGDF (***=360-390 in increments of 5) ECO-xxxM-60C-DGDF (***=300-325 in increments of 5) ECO-xxxM-72HC (***=345-390 in increments of 5) ECO-xxxM-60HC (***=290-325 in increments of 5) ECO-xxxM-72HC-DGDF (***=350-390 in increments of 5) ECO-xxxM-60HC-DGDF (***=285-325 in increments of 5) ECO-xxxM-72D (***=360-395 in increments of 5) ECO-xxxM-60D (***=300-325 in increments of 5) ECO-xxxM-72DHC (***=365-415 in increments of 5) ECO-xxxM-60DHC (***=305-345 in increments of 5) ECO-xxxM-72DHC-DGDF (***=350-415 in increments of 5) ECO-xxxM-60DHC-DGDF (***=295-345 in increments of 5) ECO-xxxM-72D-DGDF (***=355-400 in increments of 5) ECO-xxxM-60D-DGDF (***=300-330 in increments of 5) ECO-xxxM-72EHC-DGDF (***=425-460 in increments of 5) ECO-xxxM-60EHC-DGDF (***=350-380 in increments of 5) ECO-xxxM-72EHC (***=425-460 in increments of 5) ECO-xxxM-60EHC (***=350-380 in increments of 5)

Maximum system voltage:	1000V
Fuse rating:	15A
Application class:	Class A
Electrical protection class:	Class II

**Remark:**

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products