


TÜV NORD CERT GmbH
herewith declares that

Eco Delta Power Co., Ltd.
No.65 Dacang Road
Zhonglou, Changzhou, Jiangsu
213000, P.R.China

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline Silicon Solar Cells

PV Modules with 5" Mono-crystalline Silicon Solar Cells

PV Modules with 6" Poly-crystalline Silicon Solar Cells

Tested according to: IEC 61701: 2011 Severity 6
Registered No.: 44 780 17 406749 - 119
Manufacturer: see Annex 1
Test Report No.: 492010893.001
File No.: SHV03038/17-02

Valid until: 2024-04-30



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2020-04-29

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 17 406749 - 119

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: SHV03038/17-02

2020-04-29

Manufacturer:

Manufacturer : **Eco Delta Power Co., Ltd.**
No.65 Dacang Road
Zhonglou, Changzhou, Jiangsu, 213000, P.R.China

Factory inspection report no.: 862010123.005

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products


Description of product(s):

Model(s):	PV Modules with 6" Poly-crystalline Silicon Solar Cells: ECO-xxxP-72 (**=310-350 in increments of 5) ECO-xxxP-60 (**=255-290 in increments of 5)
Model(s):	PV Modules with 6" Mono-crystalline Silicon Solar Cells: ECO-xxxM-72 (**=320-380 in increments of 5) ECO-xxxM-60 (**=265-315 in increments of 5) ECO-xxxM-72DG (**=340-370 in increments of 5) ECO-xxxM-60DG (**=270-315 in increments of 5) ECO-xxxM-72C-DGDF (**=360-390 in increments of 5) ECO-xxxM-60C-DGDF (**=300-325 in increments of 5) ECO-xxxM-72HC (**=345-390 in increments of 5) ECO-xxxM-60HC (**=290-325 in increments of 5) ECO-xxxM-72HC-DGDF (**=350-390 in increments of 5) ECO-xxxM-60HC-DGDF (**=285-325 in increments of 5) ECO-xxxM-72D (**=360-395 in increments of 5) ECO-xxxM-60D (**=300-325 in increments of 5) ECO-xxxM-72DHC (**=365-415 in increments of 5) ECO-xxxM-60DHC (**=305-345 in increments of 5) ECO-xxxM-72DHC-DGDF (**=350-415 in increments of 5) ECO-xxxM-60DHC-DGDF (**=295-345 in increments of 5) ECO-xxxM-72D-DGDF (**=355-400 in increments of 5) ECO-xxxM-60D-DGDF (**=300-330 in increments of 5) ECO-xxxM-72EHC-DGDF (**=425-460 in increments of 5) ECO-xxxM-60EHC-DGDF (**=350-380 in increments of 5) ECO-xxxM-72EHC (**=425-460 in increments of 5) ECO-xxxM-60EHC (**=350-380 in increments of 5)

Maximum system voltage:	1000V
Fuse rating:	15A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products